Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
# L1	2	("20020023230").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	Operator OR	OFF	2007/05/11 15:00
L2	17	(portal with shar\$3 with information) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 18:32
L3	1	(portal and shar\$3 and information).ti. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 16:17
L4	1	(portal and history with sharing) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 16:18
L5	3	(portal and (historis records)).ti. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 16:19
L6	1	(portal and (sharing share)).ti. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 16:20
L7	11	(portal and (sharing share)).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 16:20
L8	2	(portal and (sharing share)).ab. and record\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2007/05/11 16:20

L9	2	(portal and (sharing share)).ab. and (record\$3 history) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 16:22
L10	4	(portal with consumers with (record\$3 history)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 16:25
L11	0	(portal with shar\$4 with (record\$3 history)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 16:26
L12		(portal and shar\$4 with (record\$3 history)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 16:26
L13	0	(portal and shar\$4 with (consumers buy\$) near4 (record\$3 history)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 16:27
L14	0	(portal and shar\$4 with (consumers buy\$) with (record\$3 history)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 16:27
L15	12	(portal same shar\$4) and ((consumers buy\$) with (record\$3 history)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 18:01
L16	. 3	(portal with shar\$4) and ((consumers buy\$) with (record\$3 history)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 17:02

	1		T	1	1	
L17	2	("20010027472").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/11 17:57
L18	2	("20010011245").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/11 17:57
L19	13	(portal same weather same sport) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 18:04
L20	2	(portal with share) and (weather same sport) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 18:26
L21	20545154	(portal with share with portfolios)\ and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 18:27
L22		(portal with share with portfolios)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 18:27
L23	0	(portal same share with portfolios)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 18:27
L24		(portal same share same portfolios)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 18:31

· · ·		•	1	1		
L25	0	(portal and shar\$3 with personal with portfolios)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 18:31
L26	0	(portal and shar\$3 with personal same portfolios)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 18:31
L27	15	(portal and shar\$3 with personal and portfolios)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 18:31
L28	4	(portal with shar\$3 with personal with information) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 18:32
S1	6	famil\$1 with shar\$1 with profile\$1 and @ad<="20000411"	USPAT	OR	OFF	2005/07/29 13:05
S2	6	famil\$1 with shar\$1 with profile\$1 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:06
S3	2	famil\$1 with shar\$1 with personal and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/07/29 13:07
S4	1330	famil\$1 with shar\$1 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:09
S5	1317	famil\$1 with personal and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:09

				· · · · · · · · · · · · · · · · · · ·		
S6	1317	(famil\$1 with personal) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/23 14:41
S7	1317	(family with personal) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:09
S8	738	(shar\$1 with personal) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/11 15:29
S9		(shar\$1 with personal with family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:10
S10	4	((shar\$1 with personal) same family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:12
S11	19	(information with shar\$1 with family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:18
S12	43	(personal with access\$5 with family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:30
S13	14	(personal with access\$5 near4 family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:45

S14	0	(privacy with access\$5 near4 family	US-PGPUB;	OR	OFF	2005/07/29 13:45
) and @ad<="20000411"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S15	14	(personal with access\$5 near4 family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:47
S16	16	(personal with access\$5 near5 family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:48
S17	1	(privacy with access\$5 near5 family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:48
S18	2	(privacy with access\$5 with family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:49
S19	10086	(personal and family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/29 13:50
S20	1317	(personal with family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/07/29 13:50
S21	43	(personal with family with access\$5) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:03

	T:		<u> </u>	1	ı — — — — — — — — — — — — — — — — — — —	I
S22		(user near1 profile with family with access\$5) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/29 14:03
S23	0	(user near2 profile with family with access\$5) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:03
S24	0	(user near4 profile with family with access\$5) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:03
S25	3	(user near1 profile with access\$5 same family) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:46
S26	63	(user near1 profile with access\$5 same group) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:46
S27	33	(user near1 profile with access\$5 with group) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:47
S28	0	(user near1 profile with access\$5 with (work\$3 near1 group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/29 14:47
S29	0	(user near1 profile with access\$5 with (work\$3 near2 group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:47

	, 	<u></u>		,	,	
S30	33	(user near1 profile with access\$5 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:48
S31	2	(user near1 profile with shar\$5 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:50
S32	0	(personal near1 profile with shar\$5 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:50
S33	0	(personal near1 profile with access\$5 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:50
S34	1	(personal near1 profile with access\$5 same(group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:50
S35	7	(personal near1 profile with view\$3 same(group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:51
S36	7	(personal near1 profile with view\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/29 14:54
S37	4	(personal near1 information with view\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:55

S38	4	(personal near1 information with shar\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:01
S39	0	(personal near1 profile with shar\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:01
S40	0	(personal near1 profile\$1 with shar\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:01
S41	0	(personal near1 profile\$1 with access with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:01
S42	0	(personal near1 profile\$1 with access\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 16:17
S43	41	(user near1 profile\$1 with access\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:02
S44	20	(user near1 profile\$1 near2 access\$3 with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:02
S45	1	(user near1 profile\$1 near2 access\$3 near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:07

		•				
S46	0	(user near1 credential1 near2 access\$3 near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:08
S47	0	(user near1 profile1 near3 access\$3 near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:08
S48	1	(user near1 profile\$1 near3 access\$3 near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:08
S49	12	(user near1 profile\$1 with access\$3 near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:13
S50	9160	((access\$3 user near1 profile\$1) near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:13
S51	0	((access\$3 near 1user near1 profile\$1) near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:14
S52	2	((access\$3 near1 user near1 profile\$1) near5 (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:16
S53	13	((access\$3 near1 user near1 profile\$1) with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:19

		•				
S54	0	((shar\$3 near3 user near1 profile\$1) with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:19
S55	. 0	((shar\$3 near3 personal near1 profile\$1) with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:19
S56	17	((shar\$3 near3 personal) with (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 16:02
S57	26	((shar\$3 near3 personal) same (group)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 16:02
S58	399	(groupware and list) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 12:43
S59	1	("6057835").PN.	USPAT; USOCR	OR	OFF	2005/08/01 13:06
S60	1	("6484196").PN.	USPAT; USOCR	OR	OFF	2005/08/01 13:18
S61	1	("6,807,538").PN.	USPAT; USOCR	OR	OFF	2005/08/01 13:34
S62	1	("6266420").PN.	USPAT; USOCR	OR	OFF	2005/08/01 13:34
S63	35	(online with vot\$5) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/08 14:07
S64	5	(online with vot\$5) and classif\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/08 14:16

S65	33	(online with evalua\$5) and classif\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:08
S66	5	(online with comment\$3) and classif\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:08
S67	74	(online near2 rat\$5) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:17
S68		(online near2 rat\$5).ti. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:45
S69	10	(online near2 rat\$5).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:18
S70	4	(online and survey\$3).ti. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 16:17
S71	1	("6321251").PN.	USPAT; USOCR	OR	OFF	2006/05/08 16:18
S72	1	("5898836").PN.	USPAT; USOCR	OR	OFF	2006/05/08 18:06
S73	1	("20030036975").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 18:45
S74	1	("6175833").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 19:31

S75	77	(limit\$3 with voters)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:31
S76	0	(limit\$3 with voters) same online and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:32
S77	1	(limit\$3 with voters) and online and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:33
S78	7	(limit\$3 with users) and (online with vot\$3)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:38
S79	0	(limit\$3 with voters) and (online with vot\$3)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:38
S80	1	(limit\$3 with voters) and (online)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:38
S81	26	(limit\$3 with user) and (online with survey)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:39
S82	6	(limit\$3 near1 (number amount) with user) and (online with survey)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/05/08 19:41

	•					
S83	20	(limit\$3 near1 (number amount) with voters) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:45
S84	0	(limit\$3 near1 (number amount) with surviors) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:45
S85	8	((number amount) with permit\$4 with voters) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/09 09:22
S86	65	(((number amount)near2 users) with (permit\$4 near2 access\$3)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/05/09 09:23
S87	22	(survey\$3 vot\$3 comment\$3 elect\$3) and (((number amount)near2 users) with (permit\$4 near2 access\$3)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:34
S88 _	34	(max\$4 near2 (number total\$4) near3 vot\$4) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:01
S89	1	((permit\$3 authoriz\$4) with shar\$3 with (personal near1 information)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:04
S90		((permit\$3 authoriz\$4) with shar\$3 with (personal near3 information)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:04

		,				
S91	. 177	(shar\$3 with (personal near3 information)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:04
S92	100	(shar\$3 near4 (personal near3 information)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:05
S93	1	(shar\$3 near4 (personal near3 information)) and vot\$4 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/05/09 13:06
S94	2	(shar\$3 near4 ((vot\$3 survey) near3 information)) and vot\$4 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:07
S95	9	(shar\$3 with ((vot\$3 survey) near3 information)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:22
S96	0	("20030140043").PN.	USPAT; USOCR	OR	OFF	2006/05/09 13:23
S97	1	("20030069897").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/09 13:24
S98	614	permit\$3 with (access\$3 shar\$3) with (personal privat\$3)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:26
S99	80	"709"/\$.ccls. and permit\$3 with (access\$3 shar\$3) with (personal privat\$3)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:26

040		Umaali/L	l .			Γ
S10 0	11	"709"/\$.ccls. and survey\$3 and permit\$3 with (access\$3 shar\$3) with (personal privat\$3)and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:28
S10 1	0	"709"/\$.ccls. and survey\$3 and permit\$3 with (access\$3 shar\$3) with (personal privat\$3)near1 (data information profile\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 13:29
S10 2	6	"709"/\$.ccls. and permit\$3 with (access\$3 shar\$3) with (personal privat\$3)near1 (data information profile\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 15:18
S10 3	1	("5821508").PN.	USPAT; USOCR	OR	OFF	2006/05/09 15:18
S10 4	1	("20020023230").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 12:44
S10 5	724	(aggregat\$3 with profile\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/11 12:44
S10 6	0	"709"/.ccls. and (aggregat\$3 with profile\$1).ti. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 12:45
S10 7	0	"709"/.ccls. and (aggregat\$3 and profile\$1).ti. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/11 12:45
S10 8	21	(aggregat\$3 and profile\$1).ti. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/05/11 12:48

S10 9	306	(aggregat\$3 and profile\$1).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/05/11 12:48
			DERWENT; IBM_TDB			
S11 0	3	"709"/\$.ccls. and (aggregat\$3 and profile\$1).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 13:04
S11 1	306	(aggregat\$3 and profile\$1).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 13:05
S11 2	12	(aggregat\$3 and user\$1 near1 profile\$1).ab. and \ @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR _	ON	2006/05/11 13:07
S11 3	547	(aggregat\$3 and user\$1 near1 profile\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 13:07
S11 4	54	(aggregat\$3 with user\$1 near1 profile\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 13:10
S11 5	19089225	(aggregat\$3 with user\$1 near1 profile\$1) and bussiness near1 entitiesand @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 13:10
S11 6	. 0	(aggregat\$3 with user\$1 near1 profile\$1) and bussiness near1 entities and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/11 13:10

S11 7	22	(aggregat\$3 with user\$1 near1 profile\$1) and entities and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/11 13:52
S11 8	7	(aggregat\$3 with user\$1 near1 profile\$1) and (vot\$3) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:02
S11 9	16	(aggregat\$3 with user\$1 near1 profile\$1) and ((vot\$3 evaluat\$3) bussiness) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:06
S12 0	0	(aggregat\$3 with user\$1 near1 profile\$1) and ((vot\$3 evaluat\$3)with bussiness) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:03
S12 1	0 .	(aggregat\$3 with customers near1 profile\$1) and ((vot\$3 evaluat\$3)with bussiness) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/11 14:03
S12 2	0	(aggregat\$3 with profile\$1) and ((vot\$3 evaluat\$3)with bussiness) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:03
S12 3		(aggregat\$3 with profile\$1) and (bussiness) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:03
S12 4	0	(aggregat\$3 with user\$1 near1 profile\$1) and ((vot\$3 evaluat\$3)with bussiness) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:03
S12 5	1	("6175833").PN.	USPAT; USOCR	OR	OFF	2006/05/11 15:47

S12 6	725	(concurrently with display\$3 with (graphic screen)) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:51
S12 7	1	S126 and vot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:50
S12 8	9	(concurrently with more near2 two with display\$3 with (graphic screen)) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:54
S12 9	0	(concurrently with two with bussiness\$3 with display\$3 with (graphic screen)) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:55
S13 0	0	(concurrently with bussiness\$3 with display\$3 with (graphic screen)) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/05/11 15:55
S13 1	20	(concurrently with results with display\$3 with (graphic screen)) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:25
S13 2	3	(concurrently with plurality with results with display\$3 with (graphic screen)) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 18:07
S13 3	82	(extensible with java) and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 18:07

S13 4	. 22	(extensible with java) with pages and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 18:07
S13 5	0	(extensible with java) with pages with tags and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 18:07
S13 6	0	(extensible with java) same pages with tags and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 18:09
S13 7	2	(extensible with java) same tags and @ad<= "20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 19:00
S13 8	1	(("20020087628") or ("6957251")). PN.	USPAT; USOCR	OR	OFF	2006/05/11 19:01
S13 9	2	(("20020087628") or ("6957251")). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 19:01
S14 0	2	("20020023230").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 11:09
S14 1	1019	(credi\$3 with report\$3) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/11/01 11:19
S14 2	0	(credi\$3 with report\$3 with plurality\$3 near1 (banks bussiness)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 11:20

S14 3	0	(credi\$3 with report\$3 with plurality\$3 near3 (banks bussiness)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 11:20
S14 4	0	(credi\$3 with report\$3 same plurality\$3 near3 (banks bussiness\$3)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:34
S14 5	27	(credi\$3 with report\$3 same (banks bussiness\$3)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 16:17
S14 6	2	("20040133640").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 16:17
S14 7	419	(permit\$4 with access\$3 with personal) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 16:18
S14 8	68	((permit\$4 with access\$3 with personal)).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:19
S14 9	228	((identif\$4 identification) with associat\$3 with users with (business banks providers)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 16:54
S15 0	30	((identif\$4 identification) with associat\$3 with users with (business banks providers)).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/01 16:57

S15 1	0	((identif\$4 identification) with associat\$3 with users with (business banks providers)) with shar4 with information and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/01 16:58
S15 2	0	(identif\$4 identification) with associat\$3 with users with shar4 with information and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 16:58
S15 3	14	(identif\$4 identification) with associat\$3 with users with shar\$4 with information and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/01 17:29
S15 4	2	("6205553").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:26
S15 5	4406781	(identif\$4 identification) with associat\$3 with users with shar\$4 with information data records and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:09
S15 6	31	(identif\$4 identification) with associat\$3 with users with shar\$4 with (information data records) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:32
S15 7	2	(identif\$4 identification) with associat\$3 with users with shar\$4 with (information data records) with (provider banks credi\$4) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:33
S15 8	2	("20010011245").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/11/01 18:06

S15 9	2	("6714944").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 18:06
S16 0	19126408	(shar\$3 near2 information) @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:09
S16 1	8547	(shar\$3 near2 information) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:09
S16 2	0	(shar\$3 near2 information)and (report\$3 with webpage\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/01 18:10
S16 3	9	(shar\$3 wiht information)and (report\$3 with webpage\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:10
S16 4	9	(shar\$3 wwith information)and (report\$3 with webpage\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:10
\$16 5	0	(shar\$3 with information)and (report\$3 with webpage\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:10
S16 6	11	(report\$3 with webpage\$1) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:11

		•				
S16 7	7	(report\$3 with credit\$3 with (webpage\$1 web-pages pages)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:19
S16 8	0	((send\$3 forward\$3) with report\$3 with television with wireless) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:20
S16 9	2	((send\$3 forward\$3) same report\$3 with television with wireless) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:22
S17 0	0	((send\$3 forward\$3) near2 report\$3 same (television adj1 network)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:22
S17 1	19	(report\$3 same (television adj1 network)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:23
S17 2	9	(report\$3 with (television adj1 network)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:24
S17 3	0	(send\$3 near1 report\$3 with (television adj1 network)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ⁻	2006/11/01 18:24
S17 4	0	(send\$3 near1 report\$3 same(television adj1 network)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:24

\$17 5	9	(send\$3 near1 report\$3 and (television adj1 network)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:27
S17- 6	1498	((disclos\$3 display\$3) with report\$3 and (television)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/01 18:28
S17 7	246	((disclos\$3 display\$3) with report\$3 with (television)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:28
S17 8	23	(((disclos\$3 display\$3) with report\$3 with (television))).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:33
S17 9	8	(((disclos\$3 display\$3) with report\$3 with (wireless))).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/01 18:34
S18 0	7	((send\$3 with report\$3 with (wireless))).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:37
S18 1	49	((send\$3 with report\$3 with (wireless))) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:35
S18 2	2	("20010011245").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 18:36

S18 3	2	("6154729").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 18:36
S18 4	996	((send\$3 with (wireless))).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 18:37
S18 5	9	((send\$3 near2 reports with (wireless))) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 19:09
S18 6	2	("5357617").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 19:09
S18 7	0	(sport\$1 with weather) with record\$3 with (location geographic\$3 zones) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:36
S18 8	41	(sport\$1 with weather) with (location geographic\$3 zones) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:50
S18 9	105	(send\$3 shar\$4 forward\$3) with (receiv\$4 near2 questions) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:51
S19 0	30	((send\$3 shar\$4 forward\$3) with (receiv\$4 near2 questions)).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:51

S19 1	15	((send\$3 shar\$4 forward\$3) with (receiv\$4 adj2 questions)).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:16
S19 2		("6175833").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 11:16
S19 3	26425	(shar\$3 with (informations profiles)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 14:42
S19 4	151	(shar\$3 with personal\$3 near2 (informations profiles)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 14:43
S19 5	0	(shar\$3 with personal\$3 near2 (informations profiles)) with entities and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 14:43
S19 6	0	(shar\$3 with personal\$3 near2 (informations profiles)) same entities and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 14:43
S19 7	32020	(shar\$3 with personal\$3 near2 (informations profiles)) authoriz\$4 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 14:44
S19 8	0	(shar\$3 with personal\$3 near2 (informations profiles))with access\$3 near2 authoriz\$4 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 14:44

S19 9	0	(shar\$3 with personal\$3 near2 (informations profiles))same access\$3 near2 authoriz\$4 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 14:44
S20 0		(shar\$3 with personal\$3 near2 (informations profiles))same access\$3 near2 (authoriz\$4 permitt\$3) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 14:44
S20 1	29	(shar\$3 with personal\$3 near2 (informations profiles))and access\$3 near2 (authoriz\$4 permitt\$3) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 14:46
S20 2	34	(shar\$3 with personal\$3 near2 (informations profiles)).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 14:46
S20 3	12	(shar\$3 with personal\$3 near2 (informations profiles)).ab. and display\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 15:31
S20 4	0	(online with shar\$3 with personal\$3 near2 (informations profiles)).ab. and display\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 15:32
S20 5	0	(online with shar\$3 with personal\$3 near2 (informations profiles)).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 15:32
S20 6	5	(online with shar\$3 with (informations profiles)).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 15:35

S20 7	0	(online with shar\$3 with (informations profiles)) with authori\$5 with access\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 15:36
S20 8	0	(online with shar\$3 with (informations profiles)) with (authori\$5 permit\$3) with access\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 15:36
S20 9	1	(online with shar\$3 with (informations profiles)) same (authori\$5 permit\$3) with access\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:09
S21 0		(online with shar\$3 with (informations profiles)) and (authori\$5 permit\$3) with access\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:12
S21 1	6	(online with message\$2 with board\$3) and (authori\$5 permit\$3) with access\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:16
S21 2	42	(online with profile) and (authori\$5 permit\$3) with access\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:16
S21 3	3	(online with profile) same (authori\$5 permit\$3) with access\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:20
S21 4	7	(message with broad\$3) same (authori\$5 permit\$3) with access\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:21

S21 5	3	(message with broad\$3) with (authori\$5 permit\$3) with access\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:30
S21 6	.7	(message with broad\$3) same (authori\$5 permit\$3) with access\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/23 16:32
S21 7	367	(post\$3 with (authori\$5 permit\$3) near4 access\$3) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:33
S21 8	0	(post\$3 with (authori\$5 permit\$3) near4 access\$3) with shar\$4 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:33
S21 9	. 0	(post\$3 with (authori\$5 permit\$3) near4 access\$3) with shar\$4 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:33
S22 0	4	(post\$3 with (authori\$5 permit\$3) near4 access\$3) same shar\$4 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:33
S22 1	77	(post\$3 with (authori\$5 permit\$3) near4 access\$3) and shar\$4 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:34
S22 2	28	(post\$3 with (authori\$5 permit\$3) near4 access\$3) and shar\$4 with (profile\$1 message\$1 information data) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON 	2007/04/23 17:10

S22 3	247269	((subscribers users)with (information profiles data activi\$4)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 17:12
\$22 4	50656	((subscribers users)with (information profiles data activi\$4)) and shar\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 17:12
S22 5	20975	((subscribers users)with (information profiles data activi\$4)) and (shar\$3 with (information profiles data activi\$4)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 17:13
S22 6	865	((subscribers users)with (information profiles data activi\$4)) and (shar\$3 with (information profiles data activi\$4) with (business provider\$1 vendor\$1)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 17:14
S22 7	61	(((subscribers users)with (information profiles data activi\$4)) and (shar\$3 with (information profiles data activi\$4) with (business provider\$1 vendor\$1)). ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 17:15
S22 8	26	(((subscribers users)near2 (information profiles data activi\$4)) and (shar\$3 with (information profiles data activi\$4) with (business provider\$1 vendor\$1))). ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 17:34
S22 9	657	(((subscribers users)near2 (information profiles data activi\$4)) and (shar\$3 with (information profiles data activi\$4) with (business provider\$1 vendor\$1))) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 17:34
S23 0	. 8	(share with (subscriber\$1 with profiles)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 17:35

S23 1	7	(family near2 (proxy cache)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/09 18:46
S23 2	145	(family with (proxy cache)) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2007/05/09 18:46
S23 3	2	("6,578,112").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:44
S23 4	2	("6,587,112").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:44
S23 5	2	("6397246").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 15:33
S23 6	2	("6546005").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/05/10 15:33
S23 7	85	(group near2 proxy) and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:48
S23 8	0	(group near2 proxy).ti. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:48

S23 9	. 16	(group near2 proxy).ab. and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 16:03
S24 0		(group near2 proxy).ab. and cache and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:49
S24 1	5	(group near2 proxy) with cache\$3 and @ad<="20000411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 16:03

5/11/2007 6:48:01 PM C:\Documents and Settings\ltruong6\My Documents\EAST\Workspaces\09829937.wsp